


Guangdong Xilaier Technology Co., Ltd. specializes in **Automatic Door Opener & license plate recognition, face recognition, turnstile gate access control system, Traffic Bollard and Door Opener** research and development, production and sales of integrated national high-tech enterprises, to provide customers with access control and management industry digital intelligent card solutions and community Internet of Things solutions. Focusing on the research and development of barriers and parking system.

About us



Swing Turnstile(Model:XLE-BAI01)




Support access control system

 Face Recognition	 Site System	 Fingerprint	 Consumption System	 TWO-DIMENSION	 Brush ID Card
 External LED Screen	 Gym system	 Swallow Card System	 APP System	 Brush IC/ID Card	 School Management

Wing (Flap) Turnstile(Model:RYT2000)



Support access control system

 Face Recognition	 Site System	 Fingerprint	 Consumption System	 TWO-DIMENSION	 Brush ID Card
 External LED Screen	 Gym system	 Swallow Card System	 APP System	 Brush IC/ID Card	 School Management

Tripod Turnstile (Model:RS2000)



Support access control system



Lpr Camera License Plate Recognition (Model:HTHD-01)



Product Advantages

- ◆ New optimization algorithm recognition, high recognition rate
- ◆ Four lines of high light brightness screen, display more content
- ◆ High brightness intelligent filling light
- ◆ Support 109 countries and regions



2M HD Capturing Camera




4 Lines LED Display



Intelligent filling light



Barrier gate Automatic Straight/fencing/Folding (Model : XLE-X6)



Lifting Bollard (Model: XLE-R107)

Use a remote controller to control up and down, easy operating, convenient for parking areas.



Community

Shopping Mall


Parking Lot

School

Government Offices



Face Recognition Temperature (XLE-600R) :



- Function 1: Face recognition
- Function 2: Body temperature measure
- Function 3: Fever detection
- Function 4: High temperature alarm warning
- Function 5: Wear mask recognition
- Function 6: Attendance data
- Function 7: Access control if needed



Automatic thermometer measure body temperature scanner (Model:XLE-700R)



Quick Measurement



High Accuracy



Alarm Function



Standby For A Week

High temperature warning

LED large screen, according to the temperature measurement, automatically change the screen color, at a glance voice broadcast system, automatic broadcast measurement temperature, listen and know



32°C-37.2°C
normal temperature

37.3°C-37.7°C
temperature is relatively high

37.8°C-43°C
High temperature

Automatic Door Operator (Model: XLE-100)



LED Night Light (Model: XLE-N1)



- 1. Infrared sensor , no induction during the day
- 2. Wide sensing range, 0-3 meters sensing distance, 120° sensing angle
- 3. Induction mode, no need to turn off the light manually, 25 S automatically turns off
- 4. 0.6 W low power, energy saving, long life
- 5. Comfortable soft light, high-quality LED lamp beads, protect your eyes.